WEST Search History for Application 10597857

Creation Date: 2009061614:24

Query
(374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964)![CCLS]
((374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964)![CCLS]) and (h resist$4 or heat$4 near temperature near resist$4)
((374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964)![CCLS] and (hea resist$4 or heat$4 near temperature near resist$4)) and (leak$4 or flaw or corrosion or deposit deposition or build nea
(374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,204
((374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,20 thermistor or heat$4 thermal resist$4 or heat$4 near temperature near resist$4)
((374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,20 thermistor or heat$4 thermal resist$4 or heat$4 near temperature near resist$4)) and (leak$4 or flaw or corrosion or d failure or defect or void)
((374/1,001,4,5,6,7,43,44,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,20 thermistor or heat$4 thermal resist$4 or heat$4 near temperature near resist$4) and (leak$4 or flaw or corrosion or de failure or defect or void)) and (reference or calibrat$3)
374/$.ccls.

(374/$.ccls.) and (heat$4 near thermistor)

(374/$.ccls. and (heat$4 near thermistor)) and (leak near detect$3)

219/$.ccls.

(219/$.ccls.) and (heat$4 near thermistor)

(219/$.ccls. and (heat$4 near thermistor)) and (leak$4 near detect$3)

(219/$.ccls. and (heat$4 near thermistor)) and (reference near voltage)

(219/$.ccls. and (heat$4 near thermistor) and (reference near voltage)) and (leak$4 or flaw or corrosion or deposit dep
or defect or void)

(374/4,5,6,7,43,44,45,57,30,29,135,147,164,183,185,163;338/22R,25,28;702/53;73/1.17,1.73,40,40.5,605;340/FOR2

((374/4,5,6,7,43,44,45,57,30,29,135,147,164,183,185,163;338/22R,25,28;702/53;73/1.17,1.73,40,40.5,605;340/FOR2

((374/4,5,6,7,43,44,45,57,30,29,135,147,164,183,185,163;338/22R,25,28;702/53;73/1.17,1.73,40,40.5,605;340/FOR2
(thermistor)

((374/4,5,6,7,43,44,45,57,30,29,135,147,164,183,185,163;338/22R,25,28;702/53;73/1.17,1.73,40,40.5,605;340/FOR2
thermistor or heat$4 near thermal resist$4)

((374/4,5,6,7,43,44,45,57,30,29,135,147,164,183,185,163;338/22R,25,28;702/53;73/1.17,1.73,40,40.5,605;340/FOR2
thermistor or heat$4 near thermal resist$4)) and (leak$3)

fluid leak$3 detect$3 or liquid leak$3 detect$3 or air leak$3 detect$3 or fluid leak$3 probe or liquid leak$3 probe or a
leak$3 meter or liquid leak$3 meter or gas leak$3 meter or air leak$3 meter or fluid leak$3 gauge or liquid leak$3 gau
or fluid leak$3 sens$3 or liquid leak sens$3 or gas leak$3 sens$3 or air leak$3 sens$3

(leak$3) near (gas or liquid or fluid or air) near (probe or meter or gauge or detect$3 or sens$3 or transducer)

(leak$3) near (gas or liquid or fluid or air) near (probe or meter or gauge or detect$3 or sens$3 or transducer) same (he
thermal$2 near resist$4)

(leak$3) near (gas or liquid or fluid or air) near (probe or meter or gauge or detect$3 or sens$3 or transducer) and (hea
thermal$2 near resist$4)

(374/4,5,43,44,45,57,120,121,29,137,167,129,130,131,132;73/865.6;252/964,960;702/35,40;250/338.1;324/765,557)!

(374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/592,8

((374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/592,
(gas near leak$3 or fluid near leak$3 or liquid near leak$3)

((374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/592,
(gas near leak$3 or fluid near leak$3 or liquid near leak$3)) and (thermistor or thermal resist$3 or RTD or resist$3 ter

((374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/592,
(gas near leak$3 or fluid near leak$3 or liquid near leak$3) and (thermistor or thermal resist$3 or RTD or resist$3 tem
PTC or NTC)

(gas near leak$3 or fluid near leak$3 or liquid near leak$3) same (termistor or thermal$2 near resist$3 or heat$4 near I
self adj heat$4 near resist$4 or RTD or reist$4 temperature detect$3 or PTC or NTC)

(gas near leak$3 or fluid near leak$3 or liquid near leak$3) near15 (termistor or thermal$2 near resist$3 or heat$4 nea or self adj heat$4 near resist$4 or RTD or reist$4 temperature detect$3 or PTC or NTC)

((gas near leak$3 or fluid near leak$3 or liquid near leak$3) near15 (termistor or thermal$2 near resist$3 or heat$4 nea or self adj heat$4 near resist$4 or RTD or reist$4 temperature detect$3 or PTC or NTC)) and (refernce or ambient)

((gas near leak$3 or fluid near leak$3 or liquid near leak$3) near15 (termistor or thermal$2 near resist$3 or heat$4 nea or self adj heat$4 near resist$4 or RTD or reist$4 temperature detect$3 or PTC or NTC)) and (reference or ambient)

(gas near leak$3 or fluid near leak$3 or liquid near leak$3) same (termistor)

(gas near leak$3 or fluid near leak$3 or liquid near leak$3) and (termistor or thermal$2 near)

(gas near leak$3 or fluid near leak$3 or liquid near leak$3) and (termistor or thermal$2 near resist$3)

(gas near leak$3 or fluid near leak$3 or liquid near leak$3) and (termistor or thermister or thermal$2 near resist$3)

((gas near leak$3 or fluid near leak$3 or liquid near leak$3) and (termistor or thermister or thermal$2 near resist$3))
((374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/592,

(374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/40,40

((374/4,5,135,29,137,183,163,185,148,138,165,179,6,7,43,44,45,30,57,147,164;338/28,22R,25;702/35,40,51;73/40,4(
) and ((gas near leak$3 or fluid near leak$3 or liquid near leak$3) and (termistor or thermister or thermal$2 near resist